



# Welcome

Thank you for your interest in BLIZZARD

# Feel the Chill with BLIZZARD



## **Customise**

Customise your flavours and tailor your machine decals to your brand, beautifully.



# **Technology**

We use RapidFreeze $^{TM}$  and OptiFreeze<sup>™</sup> technology ensuring the best drink, everytime.



# Warranty

Each machine comes with 1 year warranty on parts and 5 year warranty on refrigeration. Doesn't include labour.



# The Machine

The BI IZZARD 2 machine is designed specifically for small spaces & steady traffic.



# **Purchasing**

Purchase the machine outright or ask a member of our sales team for financing options.







# **Benefits of BLIZZARD**

The BLIZZARD 2 is a quick-to-install carbonated frozen drink machine that is designed for ease of use and quick setup. It comes with everything you need for a quick and easy setup so you can start pouring right away.

Our machines are super-easy to operate, with training provided on installation. Alongside this, we are always on hand for aftercare services to ensure you are making the most of your BLIZZARD 2 machine.

# 1 case of syrup...



## Serves

One case of syrup can serve 228 16oz cups of fizzy slush.



## **Profit**

Earn up to a 85% profit margin on each case of syrup.



## **Profit Per Case**

Make up to £680.00 profit\* per case of syrup you use at £3.50 RRP per 160z cup.

\*Based on a cup size of 16oz using BLIZZARD syrup on the BLIZZARD 2 machine. Recomeneded retail price of  $\mathfrak{L}3.50$  per 16oz cup.



# **Big Sales**

Boost your sales with the custom branded BLIZZARD 2 machine.



## **New Customers**

Target your perfect customer for your brand with your choice of branding and flavours.



## **Great Benefits**

Maximise your stations with the latest tech & lower operation costs.





#### **Double-Barrel Machine**

# **BLIZZARD 2**

The BLIZZARD 2 has innovations that increase capacity while taking up as little space as possible. Maximize counter space with the smallest footprint in the business. The BLIZZARD 2 can pour up to 51,000ml per hour.

#### **Key Features**

- ✓ OptiFreeze™ Maintains product consistency to deliver the most consistent frozen beverage - drink after drink.
- Built-in diagnostics make it easier to troubleshoot and use.
- ✓ Inline Carbonation™ Proprietary Advanced Carbonation Control System electronically controls gas injection ensure the correct drink profile.
- Serviceability Designed to reduce downtime & maximize uptime associated with maintaining and servicing the unit.
- ✓ RapidFreeze<sup>™</sup> Cold chamber system improves refreeze time.
- Access from the front of the unit makes servicing FAST & maximizes uptime.












# **Machine Information**

It's simple and easy to install your new BLIZZARD 2, all you need is 100mm of open space on all sides, a conventional 20amp single phase power supply, and a 15mm supply line of potable water.



After that, one of our technicians will come to your store to connect, set up, and instruct you on how to use your new BLIZZARD 2 machine.

Measuring System	Metric
Height	800mm
Width	400mm
Depth	640mm
Back/Side Clearance (Min.)	51mm
Tom Clearance (Min.)	305mm
Duratrans	246 x 345mm
Flavour Card	124 x 89mm
Dispenser Type	Air-Cooled
Empty Weight	89kg
Operation Weight	96kg

Need support with getting setup?

Get in touch and we will be happy to help.



Think before you print.

BLIZZARD 2022. All Rights Reserved.



# **BLIZZARD 2 Specifications**


#### Capacity

Electric Frequency	50 Hz
Dispenser Type	Air-Cooled
Barrel Volume**	128 oz
Continuous Draw - Single Barrel*	1,680 oz/hr
Continuous Draw - Alternating Barrels*	1,800 oz/hr
Recovery Time*	7 mins
Refrigeration	6,400 BTU/hr (6,752 kJ/hr), R-404A/R-448A***
Agency	Complies with UL 60335-1; UL 60335-2-89; IEC 60335-2-75.









<sup>\*\*\*</sup> R-404A and R-448A refrigeration systems are functionally equivalent.

#### **Electrical Requirements\***

Electric Frequency	50 Hz
Voltage	230 VAC, Single Phase
Current/Power	20 Amps
Receptacle	NEMA #L6-20R, 3 Wire
Beater Motor	(2) 1/6 HP, 0.85 A
Fan Motor	(1) 1/6 HP, 0.43 A

 $<sup>^{\</sup>star}$  General requirements only. Always check dispenser nameplate label for specific rating information.

#### Weights & Dimensions

Measuring System	Metric
Door Model	Short Door
Height	800 mm
Width	400 mm
Depth	640 mm
Back/Side Clearance (Min.)	51 mm
Top Clearance (Min.)	305 mm
Duratrans	246 mm x 345 mm
Flavor Card	124 mm x 89 mm
Dispenser Type	Air-Cooled
Empty Weight	89 kg
Operating Weight	96 kg

#### Water, CO2 and Syrup Requirements

Measuring System	Metric
Water System Input	15ml Supply Line, 30 PSIG Flowing (Min.)
CO2 System Input	70 - 80 PSIG (max.)
Syrup	Input: 70 - 72 PSIG (482 - 496 kPag)
	Bag-In-Box (BIB) Connections, (2) Base Syrups











# **Flavours**







# **FAQs**

## How can I get a machine?

**It's simple, quick, and easy.** Simply call 01332 8811444 or email info@abevco.co.uk to talk with a member of our helpful sales staff who will walk you through the entire process from beginning to end.

## Can I customise the branding?

Absolutely, we provide the BLIZZARD 2 with our complete BLIZZARD branding as standard, but we also provide a design service with each purchase so you may completely customise your machine to your brand.

## What flavours do you offer?

Red Cherry, Blue Raspberry, Lemon & Lime, and Mango &

**Orange.** On request, we can provide a broad range of alternative flavours, as well as our unique taste creation service!

## What about servicing & Maintenance?

We provide a full **service and maintenance plan**, as well as a three-year guarantee, so you can pour with confidence knowing your BLIZZARD 2 Machine is in good hands.

## Do you offer payment plans?

Yes, we can arrange **finance terms** with any purchase of the BLIZZARD 2 machine. For more information, simply ask a member of our sales team.

Need support with getting setup?

Get in touch and we will be happy to help.







# **Utility Requirements**

There are three utility needs in advance of your machine installation: a dedicated power outlet, water supply, and CO<sup>2</sup> gas.

Here's a rundown of everything you'll need to do:



## **Machine Power Supply**

Request that an electrician install a 20amp socket and plug. Single phase. The BLIZZARD 2 requires a 20amp "D" rated trip and 215 - 245 VAC, Single Phase (standard UK supply). The socket must be within 2 metres of the machine. Our engineer will then install the blue plug on the machine during installation.



### **Machine Positioning**

The dimensions of the machine are W 58cm, D 85cm, and H 192cm. Around the machine, the minimum clearances are 60mm on each side and back, and 310mm on top.

Machine weight 89kg (without cart)



#### $CO^2$

A food-grade  $CO^2$  gas cylinder is required for the BLIZZARD 2. It is recommended that you have at least four cylinders, so you can switch to the second cylinder and place a new order when you're running low. We have a drop shipment ordering system in place so that you may take use of our collective buying power. Prior to installation, we will contact you to schedule a delivery that suits you.

Your machine comes with wall-mounted holders for the  ${\rm CO^2}$  cylinder.



## **Machine Water Supply**

Request that a plumber install a cold water supply at the back of the machine, around 200-1000mm from the ground. The machine utilises a 34" BSP female connection (similar to a washing machine type connection), thus the supply should have a male connection ready to take the hose and a water shut off valve.

\*The minimum water flow rate is 30 PSIG.

Need support with getting setup?

Get in touch and we will be happy to help.





# Feel the chill today!

Get in touch with our sales team today to discuss your BLIZZARD 2 machine



info@abevco.co.uk 01332 881 444





www.abevco.co.u

